

PARALLEL SPOOLING

ASSO INVISIBLE CLEAR

- · Best abrasion resistance
- Long durability
- Refraction index closer to the water one. High performances also for rookies
- More precision in fishing thanks to its superior specific weight
- Waterproof to keep breaking strenght in water
- Low stretch for top strikes
- Unaffected by low temperatures

DIAM MM	0.11	0.13	0.15	0.17	0.19	0.21	0.23	0.25
TEST/KG	1.1	1.3	1.7	2.3	2.8	3.4	3.8	4.6
TEST/LB	2.4	2.9	3.7	5.1	6.2	7.5	8.4	10.1
DIAM MM	0.28	0.30	0.35	0.40	0.45	0.50	0.60	0.70
TEST/KG	5.4	6.0	7.8	10.8	12.2	14.2	21	30
TEST/LB	11.9	13.2	17.2	23.8	26.9	31.3	46.3	66.1
DIAM MM	0,80	0,90	1,00					
TEST/KG	33	40	49					
TEST/LB	72.7	88.2	108					

50 mt/55yds from ø 0,11 to ø 0,50 on T65 spool – 12 individual spools in transparent PVC box 30 mt/33yds from ø 0,60 to ø 1,00 on T83spool – 12 individual spools in transparent PVC box



ASSO SUPERFLUOROCARBON

- Is the latest development in fluorocarbon technology
- Asso SUPERFLUOROCARBON can reach the tenacity and softness of a high quality nylon filament, yet it offers the advantages of a 100% fluorocarbon line

									Ξ.
DIAM MM	0.10	0.13	0.15	0.17	0.19	0.21	0.23	0.25	
TEST/KG	0.80	1.64	2.10	2.60	3.10	3.80	4.30	5.30	
TEST/LB	1.80	3.60	4.60	5.70	6.80	8.30	9.40	11.6	
	0.00			0.10					
DIAM MM	0.28	0.30	0.35	0.40					
TEST/KG	6.00	6.90	8.70	12.0					
TEST/LB	13.2	15.2	19.2	26.4					

50 mt - 12 individual spools in transparent PVC box

14

-LUOROCARBON

-LUOROCARBON



ASSO PREMIUM

- Tenacity and softness of a high quality nylon filament, yet it offers the advantages of a 100% fluorocarbon line
- · Line for any cover situation, or any application where abrasion is a main concern

DIAM MM	0.11	0.13	0.16	0.18	0.20	0.22	0.24	0.26	
TEST/KG	1.10	1.60	1.90	2.50	3.60	4.50	5.30	5.80	
TEST/LB	2.40	3.50	4.20	5.50	7.90	9.90	11.7	12.8	
DIAM MM	0.28	0.30	0.33						
TEST/KG	6.10	7.60	9.40						
TEST/LB	13.4	16.7	20.7						

50 mt from Ø 0.12 to Ø 0.33 - 5 individual spools in transparent PVC box with inner card in big box 150 mt from Ø 0.16 to Ø 0.33 – 5 individual spools in transparent PVC box with inner card in big box



ASSO SUPERFLUOROCARBON HIGH **STRETCH**

- Has a Double Stretch factor compared to standard fluorocarbon lines, offering extra shock absorption, natural hook presentation giving more positive contact while playing a fish.
- Particularly suitable as a leader material, can be used with a low stretch braid and mono main line.

PARALLEL SPOOLING
SPUULINU

		ASS0	FLUOROC	ARBON H	IGH STRET	TCH PARAI	LLEL		
DIAM MM	0.134	0.156	0.176	0.198	0.219	0.232	0.259	0.280	0.300
TEST/KG	1.49	2.00	2.51	3.13	3.84	4.13	5.18	5.89	6.64
TEST/LB	3.30	4.40	5.50	6.90	8.50	9.10	11.4	13.0	14.6
		ASSO I	FLUOROCA	ARBON HI	GH STRET	CH DISPE	NSER		
DIAM MM	0.343	0.409	0.445	0.495	0.595	0.675			
TEST/KG	7.00	9.70	11.0	13.3	18.2	22.2			

TEST/LB 15.4 21.4 24.2 29.3 40.1 49.0

50 mt/55 yds – 12 individual spools in transparent PVC box from Ø 0.134 to Ø 0.300 50 mt/55 yds - 6 dispenser from Ø 0.343 to Ø 0.675

www.gruppodp.com www.gruppodp.com

FLUOROCARBON



-LUOROCARBON

ASSO CAMOUFLAGE MULTICOLOUR

- It's the first fluorocarbon multicolour engineered to offer the "maximum invisibility" in all fishing condition
- Thanks to its index of refraction, in case of strong light, it offers all the advantages of the fluorocarbon
- Thanks to the "Camouflage" colour, the line becames completely invisible in the dark.



ASSO INVISIBLE HARD

- Is line has been specifically engineered for extra stiffness, low stretch and superior abrasion resistance: due to these features, it is a wonderful hook length material for saltwater fishing, for all heavy cover situations, and for all those situations where durability is a paramount feature
- More precision in fishing
- · Increased chance of catch
- Long durability

DIAM MM	0.09	0.11	0.13	0.15	0.17	0.19	0.21	0.25	
TEST/KG	0.80	0.90	1.40	1.80	2.30	2.90	3.40	4.80	
TEST/LB	1.80	2.00	3.10	4.00	5.10	6.30	7.40	10.6	

DIAM MM	0.28	0.30	0.34	0.40	0.43	0.47	
TEST/KG	5.50	5.90	7.40	10.2	11.7	13.1	
TEST/LB	12.0	13.0	16.2	22.4	25.7	28.9	

50 mt - 12 individual spools in full color cardboard box

1.40 1.80 2.50 3.10 TEST/KG 4.20 11.2 3.10 4.00 5.50 6.80 8.10 9.30 ΠΙΔΜ ΜΜ 6.60 8.90 11.9 13.4 15.6 22.6 27.9 13.0 14.5 18.9 26.2 29.5 34.4 49.8 61.5 0.80 0.90 TEST/KG 36.3 44.0

> 50 mt - 12 individual spools in transparent PVC box 150 mt - 6 pcs unconnected in transparent PVC box 30 mt in polybag - 5 pcs in cardboard box

ASSO INVISIBLE PINK

- Specially developed for boat fishing
- · Typical invisibility of fluorocarbon and the advantage of the unique pink shade
- High abrasion resistance for all boat fishing applications



ASSO INVISIBLE SOFT

- Is line has been specifically engineered for extra stiffness, low stretch and extraordinary turnover
- It is softer and more flexible than most fluorocarbon
- These features make it a wonderful hoo length material for freshwater applications and for fly-fishing
- Its invisibility, high sinking speed and easy turnover will dramatically improve your fly-fishing performances

		0.05	0.40	0.75	0.50	0.40	0.70	
DIAM MM	0.30	0.35	0.40	0.45	0.50	0.60	0.70	0.80
TEST/KG	6.50	8.30	11.3	12.7	14.7	21.0	30.5	33.6
TEST/LB	14.3	18.3	24.9	28.0	32.4	46.3	67.2	74.0
DIAM MM	0.90	1.00						
TEST/KG	41.0	49.8						
TEST/LB	90.3	107						

30 mt - in single plain pvc box with inner card 6 pcs of single pvc plain box into a pvc plain big pvc box

DIAM MM	0.13	0.16	0.18	0.20	0.22	0.24	0.26	0.28
TEST/KG	1.40	2.00	2.30	2.90	3.60	4.20	4.70	5.30
TEST/LB	3.00	4.30	5.10	6.30	8.00	9.30	10.4	11.7
			0.10	0.40	0.45			
DIAM MM	0.30	0.34	0.40	0.43	0.47			
TEST/KG	5.80	7.00	11.6	13.2	14.6			
TEST/LB	12.9	15.3	25.6	29.0	32.1			

25 mt - 6 pcs unconnected in transparent PVC box 50 mt - 6 individual spools in transparent PVC box

16

-LUOROCARBON o 1.00mm

> www.gruppodp.com www.gruppodp.com

FLUOROCARBON



ASSO INVISIBLE ULTRALIGHT

- Has been specifically conceived for match fishing, and provides the best possible performances by means of the ultimate fluorocarbon technology in the thinner sizes
- 100% consistency in diameter
- Top strength
- Ultra sensitivity
- Extraordinary sinking speed
- Long durability

DIAM MM	0.060	0.071	0.075	0.089	0.095
TEST/KG	0.36	0.48	0.54	0.72	0.80
TEST/LB	13 oz	1.05	1.18	1.58	1.80

50 mt - 6 pcs unconnected in transparent PVC box



ASSO FLUOROLEADER

- Offers an accurate balance of properties, making it suitable even for the most complex and demanding fishing situations
- It is neither too stiff nor too soft, being therefore the ultimate hook length for all fishing applications.

DIAM MM	0.128	0.148	0.160	0.180	0.200	0.220	0.240	0.260	
TEST/KG	1.40	20.0	2.20	2.70	3.50	4.00	4.50	5.30	
TEST/LB	3.10	4.40	4.80	6.00	7.70	8.80	9.90	11.7	
DIAM MM	0.290	0.330	0.370	0.400					
TEST/KG	6.10	8.80	10.5	11.8					
TEST/LB	13.4	19.4	23.1	26.0					

50 mt - 6 pcs unconnected in transparent PVC box

18

UOROCARBON



ASSO INVISIBLE BIG GAME

- It is nearly invisible in water
- It has a long fight endurance, allowing you to bring also large fish to the boat side: even with hooked-up fish and after two hours of play, it keeps its stretch in water almost unchanged, unlike all other conventional lines
- Its improved shock resistance minimizes the break off at the strike
- It is much more abrasion resistant than most nylon monofilaments of the same diameter

DIAM MM	0.60	0.70	0.85	1.00	1.15	1.30	1.50	1.70
TEST/KG	18.4	22.7	31.7	40.8	54.4	68.0	90.7	113
TEST/LB	40.0	50.0	70.0	90.0	120	150	200	250
DIAM MM	2.00							
TEST/KG	136							
TEST/LB	300							
1201/25	000							

20 mt in polybag - 5 pcs in cardboard box



ASSO BIG CATCH

- 100% Fluorocarbon line
- For the fisherman who doesn't want to give up the advantage of fluorocarbon invisibility
- Supplied with an easy-to-use plastic wheel dispenser

ASSO BIG CATCH PARALL EL										
DIAM MM	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26		
TEST/KG	1.10	1.30	1.70	2.30	2.80	3.40	3.80	4.60		
TEST/LB	2.40	2.90	3.70	5.10	6.20	7.50	8.40	10.1		
DIAM MM	0.28	0.30	0.35							
TEST/KG	5.40	6.00	7.80							
TEST/LB	11.9	13.2	17.2							
		Д	ASSO BIG C	ATCH DISP	ENSER					
DIAM MM	0.249	0.288	0.341	0.405	0.441	0.489	0.625	0.719		
TEST/LB	10	12	15	20	25	30	40	50		
DIAM MM	0.249	0.288	0.341	0.405	0.441	0.489	0.625	0.719		
TEST/LB	10	12	15	20	25	30	40	50		

150 mt from Ø 0.12 to Ø 0.35: 12 individual spools in transparent PVC box 50 yds from 10 lb to 125 lb: 6 individual spools in transparent PVC box

www.gruppodp.com www.gruppodp.com



ASSO FLUOROCASTING

- 100% pure Fluorocarbon line
- As soft and castable as nylon
- Super-fast Sinking
- More Sensitive Bite Detection and Superior Hooksetting Power
- Enhanced Abrasion Resistance
- High Durability
- No Water Absorption
- Invisibility In Wate

CLEAR - 04 W



ASSO SINKING

- Specifically engineered for ledgering and feeder fishing
- Outstanding abrasion resistance, ideal for fish in tough conditions such as heavy vegetation, obstacles, etc.
- High visibility color for the control of fishing position
- Low stretch for ready strikes
- 3 times more sinking than normal nylon line without using any degreasing substances

BROWN - 40 BR		



DIAM MM	0.11	0.13	0.15	0.17	0.19	0.21	0.23	0.25
TEST/KG	1.10	1.30	1.70	2.30	2.80	3.40	3.80	4.60
TEST/LB	2.40	2.90	3.70	5.10	6.20	7.50	8.40	10.1
DIAM MM	0.28	0.30	0.35	0.40				
TEST/KG	5.40	6.00	7.80	10.8				
TEST/LB	11.9	13.2	17.2	23.8				

150 mt from Ø 0.13 to Ø 0.25 – 12 individual spools in transparent PVC box 200 mt from Ø 0.28 to Ø 0.40 – 6 individual spools in transparent PVC box



DIAM MM	0.134	0.149	0.166	0.176	0.198	0.219
TEST/KG	1.50	1.90	2.10	2.40	2.60	3.20
TEST/LB	3.30	4.20	4.60	5.30	5.70	7.10

150 mt - 12 individual spools in PVC box

20



ASSO ICE HEAVY

• Fluorocarbon is almost unaffected by low temperatures, this line keeps its features almost unchanged even in the coldest weather conditions (down to -40°C), unlike conventional fishing lines that stiffen and lose strength. Moreover, Fluorocarbon is heavier than nylon, which also helps the lure to sink faster. Last but not least, the yellow and brown colourations provide a high line visibility on ice.

BROWN - 40 BR

FLUO YELLOW - 42 FY



ASSO SUPER HARD - FLIPPING & JIGGING

- Lowest stretch for perfect bait control
- Abrasion resistance surface, ideal for safely fishing in heavy conditions.
- Great performance on reels, with an instant hook setting power due to its stiffness
- Great knot strenght that up to now was the most critical factor in hard lines

CLEAR - 01 W

DIAM MM	0.12	0.14	0.16	0.18	0.20	
TEST/KG	1.50	1.90	2.10	2.50	3.20	
TECT/I D	2.20	4.10	7.40	5.50	7.00	

50 mt - 12 individual spools in full color cardboard box



DIAM MM	0.28	0.30	0.35	0.40
TEST/LB	12	14	16	20

150 mt - 12 individual spools in PVC box

www.gruppodp.com www.gruppodp.com