



## ASSO FLUOROCASTING

- 100% pure Fluorocarbon line
- As soft and castable as nylon
- Super-fast Sinking
- More Sensitive Bite Detection and Superior Hooksetting Power
- Enhanced Abrasion Resistance
- High Durability
- No Water Absorption
- Invisibility In Water

CLEAR - 04 W			
--------------	--	--	--



## ASSO SINKING

- Specifically engineered for ledgering and feeder fishing
- Outstanding abrasion resistance, ideal for fish in tough conditions such as heavy vegetation, obstacles, etc.
- High visibility color for the control of fishing position
- Low stretch for ready strikes
- 3 times more sinking than normal nylon line without using any degreasing substances

BROWN - 40 BR			
---------------	--	--	--



PARALLEL SPOOLING

DIAM MM	0.11	0.13	0.15	0.17	0.19	0.21	0.23	0.25
TEST/KG	1.10	1.30	1.70	2.30	2.80	3.40	3.80	4.60
TEST/LB	2.40	2.90	3.70	5.10	6.20	7.50	8.40	10.1
DIAM MM	0.28	0.30	0.35	0.40				
TEST/KG	5.40	6.00	7.80	10.8				
TEST/LB	11.9	13.2	17.2	23.8				

150 mt from Ø 0.13 to Ø 0.25 - 12 individual spools in transparent PVC box  
200 mt from Ø 0.28 to Ø 0.40 - 6 individual spools in transparent PVC box



PARALLEL SPOOLING

DIAM MM	0.134	0.149	0.166	0.176	0.198	0.219
TEST/KG	1.50	1.90	2.10	2.40	2.60	3.20
TEST/LB	3.30	4.20	4.60	5.30	5.70	7.10

150 mt - 12 individual spools in PVC box

NYLON

21

20



## ASSO ICE HEAVY

- Fluorocarbon is almost unaffected by low temperatures, this line keeps its features almost unchanged even in the coldest weather conditions (down to -40°C), unlike conventional fishing lines that stiffen and lose strength. Moreover, Fluorocarbon is heavier than nylon, which also helps the lure to sink faster. Last but not least, the yellow and brown colourations provide a high line visibility on ice.

BROWN - 40 BR		FLUO YELLOW - 42 FY	
---------------	--	---------------------	--

WORK IN PROGRESS



## ASSO SUPER HARD - FLIPPING & JIGGING

- Lowest stretch for perfect bait control
- Abrasion resistance surface, ideal for safely fishing in heavy conditions.
- Great performance on reels, with an instant hook setting power due to its stiffness
- Great knot strength that up to now was the most critical factor in hard lines

CLEAR - 01 W			
--------------	--	--	--



PARALLEL SPOOLING

DIAM MM	0.28	0.30	0.35	0.40
TEST/LB	12	14	16	20

150 mt - 12 individual spools in PVC box

50 mt - 12 individual spools in full color cardboard box

NYLON



### ASSO S.H.T. - SUPER HIGH TENACITY

- Top linear and knot strenght monofilament
- Medium softness with balanced elongation factor

CLEAR - 01 W	GREEN GREY - 77 GGN
--------------	---------------------



### ASSO ULTRAFLEX

- Low stretch
- Extra strong
- Very supple
- Designed for shock leaders and rig making

CLEAR - 01 W	
--------------	--



PARALLEL SPOOLING

DIAM MM	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26
DIAM MM	0.28	0.30	0.35	0.40	0.45	0.50		

100 mt from ø 0.12 to ø 0.50 for GGN color - 12 pcs connected by 6 in full color cardboard box  
300 mt from ø 0.20 to ø 0.50- 6 individual spools in PVC box

DIAM MM	0.40	0.50	0.60	0.65	0.70	0.75	0.80
TEST/LB	20	30	40	50	60	70	80

50 mt - 6 individual spools in PVC box  
4 oz - 12 individual spools in a box  
0.5 kg - individual spools in a box



### ASSO HARD SKIN

- 12 times more abrasion resistant in comparison to standard nylon monofilaments
- Smooth surface for better and easier castability
- Silky structure for perfect knots
- Great stress resistance
- Long durability in comparison to other siliconed lines which normally lose their features quickly
- ASSO Hard Skin has the DNA of the winning line

SILICONED GREEN - D1 SGN	SOLID MULTICOLOR OLIVE GREEN/BLACK - 76 OGB
BLACK - 14 BL	SOLID WHITE
RED - 15 R	SOLID ORANGE CAMOU - E9 SOC



### ASSO CLASSIC SHOCK LEADER

- Standard shock leader material
- Strong and reliable

CLEAR - 01 W	YELLOW - 35 Y
--------------	---------------



PARALLEL SPOOLING

DIAM MM	0.20	0.22	0.24	0.26	0.28	0.30	0.32
TEST/LB	6.00	7.00	8.00	9.00	10.0	12.0	14.0
DIAM MM	0.35	0.40					
TEST/LB	16.0	20.0					

300 mt individual spool in single plain pvc box with internal cardboard -  
6 pcs of single pvc plain box into a pvc plain big box form ø 0.20 mm to ø 0.40  
600 mt din70 LC in transparent pvc tube with covered by a four colour printed paper strip from ø 0.20 mm to ø 0.24 mm  
600 mt din70 HC in transparent pvc tube with covered by a four colour printed paper strip from ø 0.26 mm to ø 0.40 mm  
1000 mt DIN100 in transparent pvc tube with covered by a four colour printed paper strip from ø 0.28 mm to ø 0.40 mm  
Solid White color available in 300 mt - 600 mt - 1/4 lb - 1 lb  
Black color available in 1/4 lb - 1 lb

DIAM MM	0.65	0.70	0.80
TEST/LB	50	60	70

50 mt - 12 individual spools in PVC box



### ASSO DIAMONDS

- Easy handling
- Extraordinary turnover
- Superior casting distance
- Outstanding stress resistance
- Increased abrasion resistance
- High line visibility
- Assured hook-setting
- Great feeling of the fish
- Esy knots

FLUO YELLOW -42 FY			
--------------------	--	--	--



PARALLEL SPOOLING

DIAM MM	0.16	0.18	0.20	0.22	0.24	0.26	0.28	0.30
TEST/KG	1.90	2.40	2.90	3.80	4.30	4.80	5.50	7.20
TEST/LB	4.10	5.20	6.30	8.30	9.40	10.5	12.1	15.8

DIAM MM	0.35	0.40	0.45	0.50	0.60
TEST/KG	9.00	10.8	14.1	16.8	20.7
TEST/LB	19.8	23.8	31.0	37.0	45.6

100 mt - 12 pcs connected by 6 in transparent PVC box  
 150 mt - 12 individual spools in transparent PVC box  
 300 mt - 6 individual spools in transparent PVC box  
 1000 mt - 12 pcs in corrugated box



### ASSO ULTRA LOW STRETCH

- Has the lowest stretch possible from a monofilament, yet it has incredible knot strength
- Minimum stretch for maximum sensibility
- Fluorocarbon coating improves durability and castability

SMOKE - 59 GY			
---------------	--	--	--



PARALLEL SPOOLING



FLUOROCARBON COATED

DIAM MM	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.22
DIAM MM	0.24	0.26	0.28	0.30	0.35	0.40	0.45	0.50
DIAM MM	0.60	0.70						

50 mt - 12 individual spools in transparent PVC box  
 100 mt - 12 pcs connected by 6 in full color cardboard box  
 150 mt - 12 individual spools in transparent PVC box  
 300 mt - 6 individual spools in transparent PVC box



### ASSO ULTRA CAST

- Less memory
- More castability
- Better quality

FLUO YELLOW- 81 FY.S							
FLUO GREEN- C3 FG.S							
LUMINOUS WHITE - 82 FW.S							



PARALLEL SPOOLING



FLUOROCARBON COATED

DIAM MM	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26
DIAM MM	0.28	0.30	0.32	0.36	0.39			

150 mt - 12 individual spools in transparent PVC box  
 300 mt - 6 individual spools in transparent PVC box  
 1000 mt - 12 pcs in corrugated box



### ASSO ULTRA

- Exceptional transparency
- Supreme knot and linear breaking strength
- Very high performances thanks to a new copolymer

CLEAR - 04 W							
--------------	--	--	--	--	--	--	--



PARALLEL SPOOLING



FLUOROCARBON COATED

DIAM MM	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.22
DIAM MM	0.24	0.26	0.28	0.30	0.35	0.40	0.45	0.50

25 mt - individual spools in full color in PVC box by 12 in transparent PVC box  
 25 mt - 12 pcs connected in transparent PVC box  
 100 mt individual - 12 individual spools in transparent PVC box  
 100 mt connected - 12 pcs connected by 6 in full color cardboard box  
 300 mt - 6 individual spools in transparent PVC box  
 1000 mt - 12 pcs in corrugated box



### ASSO ULTRA SOFT

- Less memory
- More castability
- Better Quality

CLEAR - 01 W	COPPER - 96 CP	
--------------	----------------	--



PARALLEL SPOOLING



FLUOROCARBON COATED

DIAM MM	0.14	0.16	0.18	0.20	0.22	0.24	0.26	0.28
DIAM MM	0.30	0.32	0.36	0.39				

150 mt - 12 individual spools in transparent PVC box  
 300 mt - 6 individual spools in transparent PVC box  
 1000 mt - 12 pcs in corrugated box



### ASSO ULTRA MOLECULAR SHIELD

- Around each and every nylon molecule
- The "molecular shield" forms a total shield that protect the outer surface of the monofilament
- 2 times more abrasion resistance thanks to the "molecular shield"
- Total balance of features given by the 3 different nylon polymers
- Low water absorption and superior castability

CLEAR - 01 W	MOSS GREEN - 74 MG	
--------------	--------------------	--



PARALLEL SPOOLING



FLUOROCARBON COATED

DIAM MM	*0.14	*0.16	*0.18	0.20	0.22	0.24	0.26	0.28
DIAM MM	0.31	0.33	0.37	0.40	0.47	0.52		

150 mt - 12 individual spools in transparent PVC box  
 \*150 mt - Moss green only available  
 300 mt - 6 individual spools in transparent PVC box



### ASSO FLUOROLIGHT

- Unbelievable smooth surface
- Outstanding breaking strength
- Superior abrasion resistance very soft and its surface is incredibly skipping
- Completely impermeable
- High visibility in air, low visibility in water
- The special white-blue colour for night fishing and for an accurate management

LUMINOUS WHITE - 37FW		
-----------------------	--	--



PARALLEL SPOOLING



FLUOROCARBON COATED

DIAM MM	0.20	0.22	0.24	0.26	0.28	0.30	0.35	0.40
DIAM MM	0.45	0.50						

1000 mt - 12 pcs in corrugated box  
 PARALLEL SPOOLING  
 150 mt - 12 individual spools in transparent PVC box  
 300 mt - 6 individual spools in transparent PVC box



### ASSO ULTRA MOLECULAR SHIELD - CARP

- Irreplaceable when you are fishing in spots where there are obstacles and aquatic plants



MOSS GREEN - 74 MG		
--------------------	--	--



FLUOROCARBON COATED



FOR REELS

DIAM MM	0.28	0.30	0.35	0.40
LB CLASS	10	12	15	20

1200 mt - individual metal tube  
 6 pcs in plain carton box - ONLY FOR CARPFISHING



### ASSO TETRAMAX

- Was created specifically to get 4 features that until now was not possible to have only a single wire
- Very resistant to abrasion
- Very soft
- Low stretch
- Great knot strength



MAT LIGHT BLUE - 73 MLB		PURPLE - 66 RPU	
FLUO LIGHT BROWN - 30 GD			



	MLB							
DIAM MM	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26
DIAM MM	0.28	0.30	0.32	0.35	0.40	0.45	0.50	
	RPU							
DIAM MM	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26
DIAM MM	0.28	0.30	0.35	0.40	0.43	0.48		
	GD							
DIAM MM	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26
DIAM MM	0.28	0.30	0.32	0.35	0.40			

150 mt - 12 individual spools in transparent PVC box  
 600 mt - individual metal tube - 6 pcs in plain carton box  
 1200 mt - individual metal tube - 6 pcs in plain carton box



### ASSO DISCOVERY

- It duplicates the advantages of other premium monofilaments while overcoming the common limitations
- Gives you the maximum strength without affecting the other important features
- Low memory
- Resistance to kinking
- No soft spots
- Durability
- High impact strength

CHAMPAGNE - 26 LGD			
--------------------	--	--	--



DIAM MM	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.22
DIAM MM	0.25	0.28	0.30	0.35	0.40	0.45	0.50	

100 mt - 12 pcs connected by 6 in full color cardboard box  
 250 mt - 6 individual spools in transparent PVC box  
 1000 mt - 12 pcs in corrugated box



### ASSO TETRAMAX

- Superior abrasion resistance (6-8 times higher than any conventional line)
- No memory and great softness
- Low stretch
- High knot strength



FLUO LIGHT BROWN - 30 GD			
--------------------------	--	--	--



DIAM MM	0.28	0.30	0.35	0.40
LB CLASS	10	12	15	20

1200 mt - individual metal tube  
 6 pcs in plain carton box - ONLY FOR CARPFISHING



### ASSO DOUBLE STRENGTH

- Exceptional transparency
- Supreme knot and linear breaking strength
- Very high performance thanks to a new copolymer

STEEL GREY - 46 SGY			
---------------------	--	--	--



DIAM MM	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.22
DIAM MM	0.24	0.26	0.28	0.30	0.35	0.40	0.45	0.50

100 mt individual - 12 individual spools in transparent PVC box  
 100 mt connected - 12 pcs connected by 6 in full color cardboard box  
 300 mt - 6 individual spools in transparent PVC box  
 1000 mt - 12 pcs in corrugated box



### ASSO DOMINATOR

- The fishing line for the angler who wants the maximum strength!
- Tensile strength
- Top knot resistance
- Incredible abrasion resistance
- Impact resistance
- Impermeability
- Special mimetic effect in water

STEEL GREY - 46 SGY			
---------------------	--	--	--



### ASSO NEW MICRON 3

- 100% consistency in diameter
- Top strength
- Ultra sensitivity
- Extraordinary sinking speed
- Long durability

CLEAR - 01 W			
--------------	--	--	--



PARALLEL SPOOLING



FLUOROCARBON COATED

DIAM MM	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.22
DIAM MM	0.24	0.26	0.28	0.30	0.35	0.40	0.45	0.50

100/150 mt individual - 12 individual spools in transparent PVC box  
 100 mt connected - 12 pcs connected by 6 in full color cardboard box  
 300 mt - 6 individual spools in transparent PVC box



FLUOROCARBON COATED

DIAM MM	0.053	0.059	0.065	0.070	0.074	0.079	0.087	0.096
TEST/KG	0.29	0.36	0.43	0.51	0.57	0.64	0.78	0.90
DIAM MM	0.100	0.107	0.122	0.133	0.153	0.173	0.185	0.204
TEST/KG	1.00	1.13	1.39	1.65	2.19	2.80	3.07	3.60

50 mt - 12 individual spools in PVC box  
 100 mt - 12 individual spools in PVC box



### ASSO MAGIC RED

- Excellent strength-to-diameter value
- Is a wire that ensures numerous and important advantages. First of all, because red is the first color that gradually disappears in water, the wire becomes invisible as the depth increases and then draws a lot more.
- It is also the best wire to use with red bait within 5m of depth.
- Magic red is equipped with a force to the node really amazing and a remarkable resistance to abrasion.

RED - 15 R			
------------	--	--	--



### ASSO CLASSIC

- High tensile strength
- Outstanding knot strength
- High impact strength
- Superior abrasion resistance
- Low stretch factor
- Long durability

CLEAR - 01 W		LIGHT BLUE - 02 LB	
BLUE - 03 BL		GREEN - 05 GN	
MULTICOLOUR - 13 M		DARK GREEN - 22 D.GN	
DARK GREY - 25 DGY			

DIAM MM	0.12	0.14	0.16	0.18	0.20	0.22	0.25	0.28	0.30	0.35
TEST/KG	0.90	1.20	1.70	2.10	2.50	3.00	4.00	4.50	5.00	7.00
TEST/LB	2.00	2.60	3.70	4.60	5.60	6.70	8.90	10.0	11.1	15.5
DIAM MM	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.80	0.90	1.00
TEST/KG	9.00	11.0	13.5	16.0	19.0	22.0	25.0	32.0	37.0	44.0
TEST/LB	19.9	24.3	29.8	35.3	41.9	48.5	55.2	70.6	81.6	96.9
DIAM MM	1.10	1.20	1.30	1.40	1.50	1.60	1.80	2.00	2.50	3.00
TEST/KG	48.0	55.0	60.0	65.0	80.0	90.5	115	130	180	240
TEST/LB	105.8	121.2	132.2	143.3	176.3	198.4	253.5	286.6	396.8	529.1

100 mt - 12 pcs connected by 6 in full color cardboard box  
 600 mt - 12 pcs in corrugated box - 1000 mt - 12 pcs in corrugated box  
 1/4 lb - 12 pcs in corrugated box - 1 kg - 12 pcs in corrugated box  
 100 mt coils - corrugated box



FLUOROCARBON COATED

DIAM MM	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26
DIAM MM	0.28	0.30	0.32	0.35	0.40	0.45	0.50	

100 mt - 12 pcs connected by 6 in full color cardboard box  
 250 mt - 6 individual spools in transparent PVC box  
 1000 mt - 12 pcs in corrugated box



### ASSO UNIVERSAL

- Superior abrasion resistance
- Long durability
- High impact strength
- Low stretch factor
- Outstanding knot strength

CLEAR - 01 W		LIGHT BLUE - 02 LB	
BLUE - 03 BL		GREEN - 05 GN	
DARK GREEN - 22 D.GN		DARK GREY - 25 DGY	

DIAM MM	0.12	0.14	0.16	0.18	0.20	0.22	0.25	0.26
TEST/KG	0.90	1.20	1.80	2.10	2.80	3.20	3.80	4.20
TEST/LB	2.00	2.60	4.00	4.60	6.10	7.00	8.30	9.30
DIAM MM	0.28	0.30	0.35	0.40	0.45	0.50	0.55	0.60
TEST/KG	4.70	5.30	7.30	9.80	11.2	13.7	15.8	18.6
TEST/LB	10.3	11.6	16.0	21.5	24.6	30.1	34.8	40.9
DIAM MM	0.70	0.80	0.90	1.00				
TEST/KG	25.9	32.2	36.4	42.3				
TEST/LB	57.0	70.9	80.1	93.1				

100 mt - 12 pcs connected by 6 in full color cardboard box  
 600 mt - 12 pcs in corrugated box  
 1000 mt - 12 pcs in corrugated box  
 100 mt coils - corrugated box



### ASSO WAGGLER

- Thanks to a hydrophile treatment, this line cuts the surface very quickly and remains mid-water
- Its low stretch factor makes it more sensitive to the hook-set, and provides an improved "feel of the fish" during the play

BROWN - 63 BR			
---------------	--	--	--

DIAM MM	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26
TEST/KG	1.33	1.70	2.10	2.70	3.60	4.10	4.80	5.40
TEST/LB	2.90	3.70	4.60	5.90	7.90	9.0	10.6	11.9

150 mt - 6 individual spools in PVC box



### ASSO POLE

- Is manufactured in small, carefully controlled lots for perfect production control
- Maximum strength and no soft spots
- It has a controlled amount of strength which gives the ability to transmit even the lightest nudge up the line to provide a time-up advantage in hook-setting.

CLEAR - 01 W			
--------------	--	--	--

DIAM MM	0.060	0.065	0.070	0.075	0.080	0.090	0.100	0.110
TEST/KG	0.36	0.40	0.46	0.53	0.66	0.77	1.00	1.30
TEST/LB	0.79	0.88	1.01	1.17	1.45	1.69	2.20	2.89
DIAM MM	0.120	0.140	0.160					
TEST/KG	1.50	2.00	2.60					
TEST/LB	3.30	4.44	5.72					

50 mt - 12 individual spools in full color cardboard box



### ASSO BOLOGNESE

- Unbelievable knot strength
- Low stretch factor
- Outstanding softness

CLEAR - 01 W			
--------------	--	--	--

DIAM MM	0.12	0.13	0.15	0.17	0.19	0.21	0.23	0.26
TEST/KG	1.50	2.00	2.50	3.00	3.50	4.20	5.00	5.70
TEST/LB	3.30	4.40	5.50	6.60	7.70	9.20	11.0	12.5

600 mt - 6 individual spools in PVC box



### ASSO CARP

- 6 times higher abrasion resistance
- Very low stretch
- Superior castability

FLUO LIGHT BROWN - 30 GD			
--------------------------	--	--	--

DIAM MM	0.20	0.23	0.25	0.28	0.33	0.35	0.37
TEST/KG	3.50	4.50	5.60	6.40	7.70	8.50	12.0
TEST/LB	7.70	9.90	12.3	14.1	17.0	18.7	26.4

600 mt - 12 pcs in corrugated box



### ASSO TRIPLE FORCE

- Has the muscle and shock strength needed to satisfy all the demands of a boat angler
- Unbelievable strength: Ø 0.74 mm breaks at 92 Lb
- Permanent low stretch
- Since this material is almost waterproof, the above three characteristics will remain almost unchanged in water
- ASSO TRIPLE FORCE is also available in the I.G.F.A. Rated Tournament Version

CLEAR - 01 W		STEEL GREY - 46 SGY	
--------------	--	---------------------	--

STANDARD VERSION										
DIAM MM	0.57	0.62	0.74	0.81	0.90	1.04	1.17	1.33	1.47	1.56
TEST/KG	25.6	29.9	41.9	49.7	60.4	80.5	99.5	124	151	167
TEST/LB	56.5	66.0	92.3	109.5	133.1	177.5	219.4	293.8	332.8	368.0
DIAM MM	1.61	1.83	2.04	2.10	2.28	2.30				
TEST/KG	181	234	265	291	339	373				
TEST/LB	398	516	583	641	748	822				

50 mt - 6 individual spools in transparent PVC box  
 1000 mt - 12 pcs in corrugated box  
 1000 mt DIN200 - 8 pcs in corrugated box  
 100 mt coils - corrugated box  
 1000 mt I.G.F.A. - 12 pcs in corrugated box

I.G.F.A. RATED VERSION				
DIAM MM	0.43	0.54	0.70	0.90
TEST/LB	30	50	80	130



### ASSO WINTER SURFCASTING

- Soft and without memory
- Top knot and linear resistance
- Its surface has an increased abrasion resistance
- Its special fluoresent-blue colour makes it almost invisible in water and very visible out of the water
- Very resistant even at the lowest temperatures

ICE BLUE - 68 IB			
------------------	--	--	--

DIAM MM	0.13	0.16	0.18	0.20	0.23	0.26	0.29	0.31
TEST/KG	1.60	2.50	3.00	3.70	4.60	5.80	6.50	8.40
TEST/LB	3.50	5.50	6.60	8.10	10.1	12.8	14.3	18.5
DIAM MM	0.34	0.39						
TEST/KG	9.50	11.9						
TEST/LB	20.9	26.2						

250 mt - 6 individual spools in full color PVC box



### ASSO DOUBLE STRENGTH ULTRASOFT

- This is a premium low diameter fishing line.
- Transparent and limp, yet it has a revolutionary strength: you can keep on using the same diameter you have ever been using and get an increased resistance of about 40% more, or you can keep on using the same pound test you have ever been using but with a smaller diameter, which grants you a much better performance
- Extraordinary flexibility with an unbelievable knot and crimping strength
- It is an ideal choice even when line durability is crucial!

CLEAR - 01 W			
--------------	--	--	--

DIAM MM	0.55	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95
TEST/KG	22.1	26.3	30.3	32.6	38.9	42.6	46.8	51.1	59.8
TEST/LB	40.0	50.0	60.0	70.0	80.0	90.0	100	110	120
DIAM MM	1.00	1.10	1.20	1.30	1.40	1.60	1.80	2.00	
TEST/KG	68.4	83.0	94.5	107	121	142	173	205	
TEST/LB	150	180	200	250	300	350	400	450	

100 mt - 12 pcs connected by 3 in full color cardboard box  
 1000 mt - 12 pcs in corrugated box  
 1000 mt DIN200 - 8 pcs in corrugated box  
 100 mt coils - corrugated box  
 50 yds wrist spool - 6 pcs unconnected in transparent PVC box





### ASSO DOUBLE STRENGTH SPECIAL REEL

- Is an extremely strong and supple line, specifically developed for trophy saltwater and freshwater anglers
- Ultra-fine diameter provides a much greater reel capacity
- Its best even in the toughest conditions!

CLEAR - 01 W			
--------------	--	--	--

DIAM MM	0.35	0.40	0.45	0.50	0.60	0.70	0.80
TEST/LB	20 IGFA	25	30 IGFA	40	50 IGFA	80 IGFA	100
DIAM MM	0.90	1.00	1.10	1.20	1.30	1.40	
TEST/LB	110	130 IGFA	150	160	170	180	

1000 mt - 12 pcs in corrugated box  
1000 mt DIN200 - 8 pcs in corrugated box



### ASSO TOURNAMENT

- It is produced with an exact tolerance, and thus engineered in order to break just under IGFA-specified conditions for each line class
- A controlled low stretch to keep better contact with the fish
- A superior abrasion resistance than most nylon monofilaments in the same IGFA class
- The muscle and shock strength to win the battle

CORAL - 09 C		FLUO YELLOW - 42 FY	
--------------	--	---------------------	--

DIAM MM	0.25	0.32	0.37	0.40	0.52	0.70	0.90	1.20
TEST/KG	3.63	5.44	7.26	9.07	13.6	24.0	36.3	59.0
TEST/LB	8.00	12.0	16.0	20.0	30.0	50.0	80.0	130

1000 mt - 12 pcs in corrugated box  
1000 mt DIN200 - 8 pcs in corrugated box

### I.G.F.A. CLASS



### ASSO DOUBLE STRENGTH HAND LINE

- Is the ideal choice for handlines. It has both an unbelievable strength (approximately 40% more than conventional fishing lines) and a very supple feeling for easy handling
- Furthermore, thanks to the ultimate extrusion technology it is prepared with, it lays flat and is very easy to coil

CLEAR - 01 W			
--------------	--	--	--

DIAM MM	0.60	0.70	0.80	0.90	1.00	1.10	1.20	1.30
TEST/LB	50	70	90	110	120	150	160	170
DIAM MM	1.40	1.50	1.60	1.80	2.00			
TEST/LB	180	250	300	400	500			

100 mt - 12 pcs connected by 3 in full color cardboard box  
100 mt coils - corrugated box



### ASSO TIPPET

- Is a "Double Strength" tippet material made of the highest grade copolymer coated by fluorocarbon
- No Memory: it loses its memory with one stretch
- Consistent High linear and knot strength whether wet or dry
- Extra suppleness for life like fly presentation
- Increased transparency when under water
- The ultra light silver colour provides super underwater camouflage in any sub-aquatic environment

SILVER - 36 S			
---------------	--	--	--

SIZE	7x	6x	5x	4x	3x	2x	1x	0x
DIAM MM	0.100	0.126	0.148	0.185	0.200	0.223	0.260	0.281
TEST/KG	1.00	1.40	1.90	2.90	3.60	4.30	5.80	6.70

50 mt - 12 individual spools in PVC box





### ASSO ALL PURPOSE KNOTLESS TAPERED LEADER

- The right amount of suppleness for a gentle presentation
- Perfection turnover
- No memory
- No kinking
- Great shock absorption
- Super clarity for low visibility


MOSS GREEN - 74 MG			
--------------------	--	--	--



### ASSO PROTECTOR 220

- Superior knot and shock strength
- The outstanding abrasion resistance make Asso Protector the ideal surf and beach casting shock leader
- It is a continuous line of 220mt, with the following construction:
  - ◆ 200mt of round line, it changes colours every 25mt
  - ◆ the last 20mt are tapered, to absorb the shock of casting

COLOUR: 4 COLOUR - WHITE, BLACK, YELLOW AND RED ONE COLOUR EVERY 25 METERS, AND LAST 20M TAPERED LINE




7 ft COIL - individual full colors paperbag  
 9 ft COIL - 12 individual spools in PVC box  
 12 ft COIL - individual full colors paperbag

SIZE	TIPPET			BUTT	
	DIAM MM	DIAM INCH	TEST LB	DIAM MM	DIAM INCH
7X	0.10	.004	2	0.41	.016
6X	0.13	.005	3	0.43	.017
5X	0.15	.006	4	0.50	.020
4X	0.18	.007	5	0.53	.021
3X	0.20	.008	7	0.53	.021
2X	0.23	.009	9	0.57	.023
1X	0.25	.010	10	0.57	.023
0X	0.28	.011	12	0.57	.023

	TIPPET	TAPER	BUTT	TOTAL
7.5 FT	0.20 m	1.40 m	0.80 m	2.40 m
9 FT	0.40 m	1.40 m	1.00 m	2.80 m
12 FT	1.15 m	1.40 m	1.20 m	3.75 m

DIAM MM 0.20/0.57 0.23/0.57



220 mt - 10 individual spools in cardboard box



### ASSO PROTECTOR 5X15

- Ideal surf and beach casting shock leader
- Superior knot and shock strength
- High abrasion resistance

CLEAR - 01 W	FLUO YELLOW - 42 FY
SOLID ORANGE - 72 SO	RED - 15 R



### ASSO SHOCK LEADER

- The ideal surf and beach casting shock leader:
- Superior knot and shock strength
- High abrasion resistance

CLEAR - 01 W			
--------------	--	--	--

DIAM MM 0.16/0.45 0.18/0.50 0.20/0.57 0.23/0.57



5x15 mt - 50 pcs unconnected in cardboard box

DIAM MM 0.20/0.57 0.23/0.57



5x15 mt - 10 pcs unconnected in cardboard box  
 10x15 mt - 10 pcs unconnected in cardboard box



### ASSO ICE FISHING

- Specific line for fishing in cold weather conditions
- Thanks to this special compound resists to freezing, does not become brittle, remains soft and retains most of its knot strength even in the most extreme conditions
- The special luminous blue colour provides a high line visibility on ice

ICE BLUE - 68 IB								
------------------	--	--	--	--	--	--	--	--

DIAM MM	0.10	0.12	0.14	0.16	0.18	0.20	0.23	0.26
TEST/KG	0.70	1.10	1.50	2.40	3.00	3.30	4.50	5.70
TEST/LB	1.60	2.40	3.40	5.40	6.60	7.30	9.90	12.6

50 mt - 12 individual spools in full cardboard box




### ASSO FLOATING

- ASSO FLOATING LINE specific weight in water: 1,05
- CONVENTIONAL LINE specific weight in water: 1,14
- The result is a line that floats on the surface
- The special engineering of the hexagonal inner hole and of the six micro-slots of the monofilament avoids the flattening of the line and gives a superior knot strength, unlike most floating products on the market

FLUO GREEN - 10 FG								
PINK - 23 P								

DIAM MM	0.202	0.222	0.239	0.263	0.288	0.331	0.366	0.400
TEST/KG	2.90	3.50	4.10	4.90	5.70	7.50	9.10	10.6
TEST/LB	6.40	7.80	9.00	10.8	12.7	16.6	20.0	23.4

150 mt - 12 individual spools in full cardboard box  
300 mt - 6 individual spools in transparent PVC box



### ASSO SUPER HARD

- The strongest hard line available on the market
- Offers all the advantages of a stiff line, without sacrificing tenacity and knot strength
- The knot efficiency varies from 80% to 75% according to the diameter

CLEAR - 01 W								
--------------	--	--	--	--	--	--	--	--

DIAM MM	0.165	0.185	0.204	0.225	0.245	0.26	0.28	0.30
TEST/KG	2.20	2.70	3.30	3.90	4.40	5.20	6.20	6.90
TEST/LB	4.85	5.95	7.28	8.60	9.70	11.5	13.7	15.2
DIAM MM	0.35	0.40	0.45	0.50	0.60	0.70	0.80	0.90
TEST/KG	9.10	10.8	14.8	17.8	23.8	31.7	40.3	52.9
TEST/LB	20.0	23.8	32.6	39.2	52.5	69.9	88.8	116.6
DIAM MM	1.00							
TEST/KG	63.8							
TEST/LB	140.6							

50/100 mt - 6 pcs unconnected in transparent PVC box



### ASSO EVER GREEN

- Is the next generation of braided lines that ensures maximum color durability
- 8-fiber construction for perfect roundness and smoother casts
- Excellent color durability from the ultra thin diameters 0.12 and 0.15, maximum color durability secured from diameter 0.18 thanks to pre-dyed fibers.

BLACK - 14 BL								
MOSS GREEN 74 MG								

DIAM MM	0.12	0.15	0.18	0.20	0.24
TEST/KG	9.60	11.8	13.8	16.0	23.9
TEST/LB	21.1	26.0	30.4	35.2	52.6
CONSTRUCTION	50x8	50x4+75x4	75x8	75X4+100x4	100X8
DIAM MM	0.27	0.32	0.36	0.41	0.43
TEST/KG	25.0	27.2	30.7	34.8	42.1
TEST/LB	55.1	59.9	67.6	76.6	92.7
CONSTRUCTION	100X6+150X2	100X4+150X4	100X2+150X6	150X8	200X8
DIAM MM	0.50	0.58			
TEST/KG	62.3	93.5			
TEST/LB	137.2	205.9			
CONSTRUCTION	300X8	400X8			

130 mt - 6 individual spools in PVC box  
300 mt - 6 individual spools in PVC box

1000 mt in transparent PVC tube  
12 pcs in corrugated box