

FEEDERS & ACCESSORIES

Today, feeder fishing lives a magic moment, not only in Italy but also in the countries where it was popular many years before. This is due to the chance to get tremendous catches in any weather condition, to the short preparation time and to the simple tackle involved. But the sudden popularity has opened doors to those who just come in when it's easy to succeed; at Trabucco, we believe in feeder fishing since ever, and the old general catalogues provide the evidence through their pages. Even when the World Feeder Championship didn't exist at all, we already spent our best attention and care into feeder's development, with same passion which currently boosts our range to grow again.

AIRTEK SPECIALIST

FLATBED METHOD FEEDER & FLEXY MOULD

Available in the Inline or Elasticated version. The Inline is equipped with a swivel for self strike rigging or for sliding rigging, used in combination with a Fast Change Bead. The Elasticated version allows you to use much thinner hook lengths. For both the versions the flat bed grants a strong grip on the bottom, while the peculiar ribbed design keeps the groundbait right in position.



1 Put some pre-damped ground bait into the mould and position the hook with the bait in the centre.



2 Fill the mould with the rest of the ground bait, taking care to cover the hook with the bait.



3 Carefully position the Method Feeder in centre of the mould and press firmly.



4 Press the bottom part of the mould to come out the Method feeder with the perfectly shaped ground bait.



5 When the feeder will lay on the bottom the bait will be positioned over the ground bait, that will start its attractive action.



6 When the ground bait will dissolve it will cover the whole feeder, while the bait will be ready to be swallowed by the fish.

FLATBED METHOD & MOULD



Code	Description	Size	Wt
140-66-100/10	Flatbed Method Feeder Inline * 2pcs	L	15+30 g
140-66-200/10	Flatbed Method Feeder Elasticated * 2pcs	L	15+30 g
140-66-300/10	Flexi Mould	-	-

MICRO PELLETT FEEDER SET



Code	Description	Size	Wt
140-67-300/5	Micro Pellet Feeder * 5pcs Set	M	15+30 g



Mario Barros
Portuguese Feeder
Champion 2015




Maurizio Biolcati

LONG DISTANCE FLATBED & MOULD



INLINE

Code	Description	Size	Wt
140-68-115/10	LDF Method Inline	S	15 g
140-68-130/10	LDF Method Inline	L	30 g
140-68-145/10	LDF Method Inline	L	45 g




ELASTICATED

Code	Description	Size	Wt
140-68-215/10	LDF Method Elasticated	S	15 g
140-68-230/10	LDF Method Elasticated	L	30 g
140-68-245/10	LDF Method Elasticated	L	45 g




Code	Description	Size
140-68-000/10	LD Method Mould	S
140-68-010/10	LD Method Mould	L

FAST CHANGE BEAD



Born to complement any Method Feeder, the Fast Change Beads protect the hooklink knot from any damage coming from the feeder's weight and, at the same time, enable to quickly interchange several hooklinks without cutting it.



Code	Description	Pcs
101-57-000/10	Fast Change Beads	5

NEW FAST CHANGE BEADS MATCH

With a more compact profile than the previous model, these beads for rapid exchange of the hooklink are absolutely essential to use all Method Feeders. Their shape eases the manual separation of the two parts, discovering the hook that connects main line and hooklink. Among other things, they also play an important role as knot saver.



Code	Description	Pcs
101-57-010/10	Fast Change Beads *Match	5

EAZY METHOD FEEDER SET



Code	Description	Size	Wt
140-67-400/5	Eazy Method Feeder * 5pcs Set	L	20+30 g



NEW AIRTEK MAGGOT & PELLET METHOD FEEDER

These compact inline feeders have been designed to carry on the bottom pellets or sticky maggots, which get a quick hydration thanks to the micro holes around the body. In the commercial lakes or in slow moving waters, they attract fish downloading the hookbait in the middle of the other baits. The unobtrusive light green colour involves the lead, too, which has some 3D dots underside for better grip on the bottom. The rubber cone, located on top of the body, gets the swivel or stops the Fast Change Bead which connects the very short hooklink to main line, while, at the same time, avoids line tangles with its elongated shape. The product is packed in a stylish blister containing two pieces, and is available in two different volumes (Medium and Large).

Code	Description	Size	Wt
140-59-110/5	Maggot & Pellet Method * 2pcs	M	20 g
140-59-120/5	Maggot & Pellet Method * 2pcs	M	30 g
140-59-130/5	Maggot & Pellet Method * 2pcs	M	40 g
140-59-140/5	Maggot & Pellet Method * 2pcs	L	30 g
140-59-150/5	Maggot & Pellet Method * 2pcs	L	40 g
140-59-160/5	Maggot & Pellet Method * 2pcs	L	50 g

AIRTEK SPECIALIST MICRO PELLET FEEDER



1 How it appears the Micro Pellet Feeder as soon as it lands on the bottom. The pellets start to come out and the bait is already uncovered.



2 After a short time the pellets start to come out in a sort of small cascade, taking the bait with them. The bait is always perfectly presented.



3 The Micro Pellet Feeder can be used as well in combination with ground bait instead of pellets. The final result will be the same.

The micro pellet approach is one of the most recent introductions in Europe; it's effectiveness comes from the need to stimulate big fish without feeding it up. The small size of dedicated feeders are due to the extreme conditions of use. In fact, they are oriented to tough situations, which are common during the last hour of a match, in the highly pressured waters or in winter. In all such three circumstances, fish feed on small sized bait in limited amounts of groundbait, often refusing to bite in case the hooklink is not thin enough. Trabucco range include two solutions: a standard one and an elasticated one, purposely developed for extremely shy fish, when a fine line is absolutely worth a try.

Code	Description	Size	Wt
140-67-010/10	Pellet Feeder Inline	M	24 g
140-67-020/10	Pellet Feeder Inline	L	35 g
140-67-110/10	Pellet Feeder Elasticated	M	24 g
140-67-120/10	Pellet Feeder Elasticated	L	35 g

PELLET FEEDER



1 The feeder is on the bottom and the ground bait starts to disgregate, freeing the feeder content.



2 The groundbait has accomplished its restraint job and it is now melted: all the pellets are now free to come out.

The Pellet Feeder has been designed to be used with pellets. The pellets must be dampened and then gently pressed into the feeder and then blocked with a groundbait stopper. The action of the water will dissolve the groundbait stopper and will consequentially allow the pellets to come out towards the hook length.

OPEN END

The Airtek Specialist Open End is equipped with a wide shaped lead to increase the stability. The link between the feeder and the main line is semi-rigid, to obtain an anti tangle effect. The camo colour hides the feeder to the spooky fish, melting its shape with the natural colour of the surrounding environment.



SIZE: XXL

SIZE: XXL

Code	Description	Wt
140-65-210/5	Pellet Feeder	28g
140-65-220/5	Pellet Feeder	56g
140-65-230/5	Pellet Feeder	84g
140-65-240/5	Pellet Feeder	112g

Code	Description	Wt
140-65-010/5	Open End	28 g
140-65-020/5	Open End	56 g
140-65-030/5	Open End	84 g
140-65-040/5	Open End	112 g

NEW AIRTEK FLOATING FEEDER

Designed for summer fishing in canals or commercial lakes, when fish feed just below water's edge, or in shallow waters, during colder months, these floating feeders download your bait just above the hook, with maximum precision. Ideal for groundbait, maggots, seeds and pellets, they are individually packed in blister. In order to concentrate the food pattern in the smallest possible area, the use of reel's line clip is highly recommended.



Code	Description	Size
140-62-000/10	Floating Feeder * Open	M
140-62-100/10	Floating Feeder * Open	L
140-62-210/10	Floating Feeder * Closed	M
140-62-220/10	Floating Feeder * Closed	L

The Floating Feeder rig is extremely simple as well as effective. The mainline pass through the swivel's eye, while two rubber stoppers limit the feeders' freedom to slide up and down. A swivel located at hooklink's joint is worth to download the torsions caused by hook-bait during the retrieve without fish. The hooklink can be very short, even just 10 centimetres in case of summer fishing.



NEW BLACK HEAD FEEDER

Classic blockend featuring limited volume per weight ratio, which gives the feeder high stability on the bottom, specially in running waters. Thanks to an elastic connection to the body's bottom, the cap shuts down almost automatically, easing the single hand's operability.



Code	Description	Size	Wt
140-63-010/10	Black Head Feeder	M	20 g
140-63-020/10	Black Head Feeder	M	30 g
140-63-030/10	Black Head Feeder	M	40 g
140-63-040/10	Black Head Feeder	L	30 g
140-63-050/10	Black Head Feeder	L	40 g
140-63-060/10	Black Head Feeder	L	50 g

Raffaele Mapelli

AIRTEK FLAT



Code	Description	Size	Pcs	Wt
140-60-110/5	Airtek Flat	M	2	35 g
140-60-120/5	Airtek Flat	M	2	50 g
140-60-130/5	Airtek Flat	L	2	60 g
140-60-140/5	Airtek Flat	L	2	80 g
140-60-150/5	Airtek Flat	XL	2	100 g

AIRTEK ROUND



Code	Description	Size	Pcs	Wt
140-60-210/5	Airtek Round	S	2	20 g
140-60-220/5	Airtek Round	M	2	30 g
140-60-230/5	Airtek Round	L	2	40 g

AIRTEK RIVER SPECIALIST



Code	Description	Pcs	Wt
140-61-080/5	Airtek River Specialist	2	80 g
140-61-100/5	Airtek River Specialist	2	100 g
140-61-125/5	Airtek River Specialist	2	125 g
140-61-150/5	Airtek River Specialist	2	150 g

AIRTEK FEEDER

A really wide choice of feeder that are useful for a number of fishing situations but that has been designed to always perform at best and helping you to get really big fish. Every shape, every size

and weight, even every colour, has been carefully selected after a long time field testing made by our consultants in Italy and in the whole Europe.

CAGE FEEDERS

Cage are the veterans of feeder's field, because they born in the seventies, when some UK pioneer started using hair curlers. Their main merit is the quick and complete idrations of the content, also in case the groundbait has been wrongly dampened. A cage feeder rarely gets back with groundbait still inside, after a reasonable time, ensuring an optimal dispersion in the targeted swim and avoiding to create a groundbait trail when a fish is being played. Cage feeders also leave room to user's creativity, as between two groundbait plugs he can store a ball of sticky maggots, worms, casters, hemp, sweetcorn, pellets and everything can attract and stimulate fish in the middle of a groundbait cloud. Today, Trabucco introduces three new models, two of which are specialized in long range fishing, essential for the largest canals like Ostellato, but equally useful everywhere fish feed at the horizon.

AIRTEK LONG RANGE CAGE FEEDER



Model for still water's long range, loaded at one end to ease the cast and sit upright on the bottom, thus providing a great sensitivity. The connection is based on snap swivel included in a strong monofilament loop. The "spodding" version is fairly large to introduce big quantity of groundbait at the start of the match or fishing session.

Code	Description	Size	Pcs	Wt
140-60-810/5	Airtek Long Range Cage Feeder	M	2	20 g
140-60-820/5	Airtek Long Range Cage Feeder	M	2	30 g
140-60-830/5	Airtek Long Range Cage Feeder	M	2	40 g
140-60-840/5	Airtek Long Range Cage Feeder	L	2	30 g
140-60-850/5	Airtek Long Range Cage Feeder	L	2	40 g
140-60-860/5	Airtek Long Range Cage Feeder	L	2	50 g
140-60-870/5	Airtek Spodding Cage Feeder	XL	2	30 g

AIRTEK LONG RANGE ROCKET FEEDER



Designed for extreme range fishing thanks to the compact, aerodynamic weight which is forwarded from body's centre to let it fly as a rocket. The weight is linked to frame through two arms only, so that the filling operation is quite easy by fingers. The connection is created by a strong monofilament loop.

Code	Description	Size	Pcs	Wt
140-60-910/5	Airtek Long Range Rocket Feeder	S	2	20 g
140-60-920/5	Airtek Long Range Rocket Feeder	S	2	30 g
140-60-930/5	Airtek Long Range Rocket Feeder	S	2	40 g
140-60-940/5	Airtek Long Range Rocket Feeder	M	2	30 g
140-60-950/5	Airtek Long Range Rocket Feeder	M	2	40 g
140-60-960/5	Airtek Long Range Rocket Feeder	M	2	50 g



Németh Bálasz

AIRTEK CAGE

This model features a limited volume/weight ratio, therefore it keeps the bottom also when the river is pushing hardly. The plastic frame can bear any shock, while the rubber o-ring absorbs the stress otherwise destined to the line. The internal teeth grip the groundbait during the most powerful casts.



Code	Description	Pcs	Wt
140-60-310/5	Airtek Cage Feeder	2	20 g
140-60-320/5	Airtek Cage Feeder	2	30 g
140-60-330/5	Airtek Cage Feeder	2	40 g
140-60-340/5	Airtek Cage Feeder	2	50 g

AIRTEK WIRE CAGE FEEDER

Classic cage feeders with metal wire frame, they feature a wide foot weight for the best stability once on river's bottom. The snap swivel is trapped within a rubber o-ring which is destined to absorb the casting load and work as anti-tangle. Two combinations of volume and weight are available to offer maximum versatility.



Code	Description	Size	Pcs	Wt
140-59-010/5	Airtek Wire Cage Feeder	S	2	20 g
140-59-020/5	Airtek Wire Cage Feeder	S	2	30 g
140-59-030/5	Airtek Wire Cage Feeder	M	2	20 g
140-59-040/5	Airtek Wire Cage Feeder	M	2	30 g
140-59-050/5	Airtek Wire Cage Feeder	M	2	40 g

NEW AIRTEK BLACK WIRE CAGE FEEDER



Series of feeders featuring a high ratio between lead weight and body's volume, which makes it ideal for running waters, even particularly fast. Its strong structure protects it from hitting the stones and from the inevitable abrasions due to rubbing against sandy bottoms. The connection to line is cushioned by the twisted arm which links the swivel to lead's base. The range of available sizes is remarkably wide.

NEW AIRTEK BLACK WIRE BULLET FEEDER



The growing popularity of Bullet Feeders has nothing to do with fashion, but it's based on real casting performance, because their forwarded weight makes them fly beautifully. That's why they are modern match angler's favorite all over Europe. The connection to the line is made via a strong monofilament arc. The vast and articulated range of available sizes allows to deal with any lake or stillwater canal fishing condition.

Code	Description	Size	Wt
140-63-110/10	Black Wire Cage Feeder	Micro	15 g
140-63-120/10	Black Wire Cage Feeder	Micro	20 g
140-63-130/10	Black Wire Cage Feeder	S	20 g
140-63-140/10	Black Wire Cage Feeder	S	25 g
140-63-150/10	Black Wire Cage Feeder	S	30 g
140-63-160/10	Black Wire Cage Feeder	S	40 g
140-63-170/10	Black Wire Cage Feeder	M	20 g
140-63-180/10	Black Wire Cage Feeder	M	25 g
140-63-190/10	Black Wire Cage Feeder	M	30 g
140-63-200/10	Black Wire Cage Feeder	M	40 g
140-63-210/10	Black Wire Cage Feeder	L	30 g
140-63-220/10	Black Wire Cage Feeder	L	40 g
140-63-230/10	Black Wire Cage Feeder	L	50 g

Code	Description	Size	Wt
140-63-310/10	Black Wire Bullet Feeder	Micro	20 g
140-63-320/10	Black Wire Bullet Feeder	Micro	30 g
140-63-330/10	Black Wire Bullet Feeder	Micro	40 g
140-63-340/10	Black Wire Bullet Feeder	S	50 g
140-63-350/10	Black Wire Bullet Feeder	S	60 g
140-63-360/10	Black Wire Bullet Feeder	M	20 g
140-63-370/10	Black Wire Bullet Feeder	M	30 g
140-63-380/10	Black Wire Bullet Feeder	M	40 g
140-63-390/10	Black Wire Bullet Feeder	L	30 g
140-63-400/10	Black Wire Bullet Feeder	L	40 g
140-63-410/10	Black Wire Bullet Feeder	L	50 g
140-63-420/10	Black Wire Bullet Feeder	L	60 g



NEW AIRTEK LONG RANGE OPEN END FEEDER



Feeder designed for stillwater's long range fishing. In order to obtain the ideal flight attitude, the lead is located on container's front end, and the feeder is further stabilized by the side fins. Once on the bottom, this feeder stands upright, thus giving a great sensitivity to the whole rig. The connection to the line is done by swivel and snap through the arc of monofilament, which in recent years has established itself as safe, trouble free solution. The feeder can be used to deliver to the swim plain groundbait, or any loose bait, including the deadly ball of sticky maggots, locked between two plugs of groundbait. Packed in an elegant blister containing two pieces, this product is available in two different volumes (Medium and Large).

Code	Description	Size	Pcs	Wt
140-61-210/5	Long Range Open End Feeder	M	2	20 g
140-61-220/5	Long Range Open End Feeder	M	2	30 g
140-61-230/5	Long Range Open End Feeder	M	2	40 g
140-61-240/5	Long Range Open End Feeder	L	2	20 g
140-61-250/5	Long Range Open End Feeder	L	2	30 g
140-61-260/5	Long Range Open End Feeder	L	2	40 g
140-61-270/5	Long Range Open End Feeder	L	2	50 g

OPEN END OVAL



Code	Description	Size	Wt
141-35-310/10	Open End Oval	S	14 g
141-35-320/10	Open End Oval	S	28 g
141-35-330/10	Open End Oval	M	21 g
141-35-340/10	Open End Oval	M	32 g
141-35-350/10	Open End Oval	L	28 g
141-35-360/10	Open End Oval	L	42 g

AIRTEK INLINE OPEN END



Code	Description	Pcs	Wt
140-60-710/5	Airtek Inline Open End	2	30 g
140-60-720/5	Airtek Inline Open End	2	40 g
140-60-730/5	Airtek Inline Open End	2	50 g

AIRTEK OPEN END



Code	Description	Pcs	Wt
140-60-410/5	Airtek Open End Feeder	2	30 g
140-60-420/5	Airtek Open End Feeder	2	40 g
140-60-430/5	Airtek Open End Feeder	2	50 g
140-60-440/5	Airtek Open End Feeder	2	70 g

ROLLING W/PEARL BEADS & STOPPERS




Three sizes of beads: S, M, L. Three types of stoppers: 8, 7, 6. A blue circular feeder and a rig assembly with multiple hooks and beads are also shown.

Code	Size	Pcs
104-51-510/10	S	4
104-51-520/10	M	4
104-51-530/10	L	4

One of the most effective solutions for river fishing is the helicopter rig. Thanks to double stopper with pearls and swivel, the hooklink works at 90° from main line, with freedom to rotate around it. Thus, casting is tangle-free, and bite indication gets no interference from feeder's weight.

DIAM. ROLLING W/GREEN BEADS & STOPPERS



Three sizes of beads: S, M, L. Three types of stoppers: 12, 10, 8. A blue circular feeder and a rig assembly with multiple hooks and beads are also shown.

Code	Size	Pcs
104-51-610/10	S	4
104-51-620/10	M	4
104-51-630/10	L	4

STRONG SLIDER CONNECTOR FEEDER




Two sizes: S and M. A blue circular feeder and a rig assembly are shown. Packaging for the 'COMPETITION SERIES' is also visible.

Code	Size	Pcs
101-55-600	S	5
101-55-610/10	M	5

COMPETITION FLOAT STOPPERS

Float stoppers are wonderful components for many sort of feeder rigs. In the case shown by the picture here below, the rubber stopper located above feeder cause the self-hooking of running fish, since it stops the freedom of line sliding through the feeder itself.



A large grey float stopper and a rig assembly are shown. Two sets of stopper sizes are listed: Stick (S, SS, SSS, SSSS) and Oval (S, SS, SSS, SSSS).

Code	Size	Ideal Line Ø
101-65-430/12	#S	0.16-0.37 mm
101-65-420/12	#SS - (2S)	0.14-0.28 mm
101-65-410/12	#SSS - (3S)	0.12-0.24 mm
101-65-400/12	#SSSS - (4S)	0.10-0.20 mm

Code	Size	Ideal Line Ø
101-65-530/12	#S	0.16-0.37 mm
101-65-520/12	#SS - (2S)	0.14-0.28 mm
101-65-510/12	#SSS - (3S)	0.12-0.24 mm
101-65-500/12	#SSSS - (4S)	0.10-0.20 mm

POWERGUM

Powergum is a clear and elastic line, well known among feeder anglers for rig and stopper knot's making.



Code	Description	Ø
102-81-010/10	Power Gum	1.0 mm
102-81-020/10	Power Gum	1.3 mm
102-81-030/10	Power Gum	1.5 mm

AIRTEK TWISTED FEEDER LINK




Diagram showing two sizes: S (20 cm) and L (30 cm). Components include SWIVEL, TWISTED LINE, and SNAP SWIVEL.

Simple and helpful for the newcomer, quick and efficient for the expert feeder angler. These new rig links offer everybody something good, with their controlled elasticity and anti-tangle properties of the twisted monofilament structure and the convenience of the two swivels at both ends, one of which is also fitting a snap. They can be employed in two ways, as they can become paternoster links for fixed or sliding feeder set-ups, or inserted between main line and hooklength to stiffen the area and act as shock buffer just below the feeder. In this case, a rubber bead should be added to protect knot from being hammered by the feeder itself. The green colour adds camouflage effect to avoid scaring shy fish.

Code	Description	Size	Pcs	Length.
102-81-500/10	Airtek Twisted Feeder Link	S	2	20 cm
102-81-510/10	Airtek Twisted Feeder Link	L	2	30 cm



QUICKSTOP

The innovative Trabucco Competition Quickstop are a major breakthrough in bait stop design. Permanently attached to the hair, Quickstop reduce baiting time down and make attaching small baits like meat, corn and mini boilies super fast. The best, most convenient bait stops ever produced.


Code	Description	Pcs
101-58-000/10	Quickstops	60



1 Insert a baiting needle into the Quickstop on your hair rig.



2 Gently push the baiting needle (with the Quickstop on it) through the bait.



3 The finished presentation is absolutely spot on.

PASTE SPRING SET



Code	Description	Pcs
101-58-200/10	Paste Spring Set	3 sets

PASTE GRIPPER



Paste fishing made it easy! They're designed to alleviate missing bites and the paste coming off during the cast, two most common problems associated with paste fishing. It is basically a small rubber ball that has a stem attached to it, though which the hook point is passed. The paste is then moulded around the ball, stem and shank of the hook, leaving the point and part of the bend exposed. The Paste Gripper can be positioned at any point on the hook, to suit the anglers requirements eg. with the hook point coming out of the side or top of the ball of paste. It can be easily removed from barbless or semi-barbless hooks, and re-used many times. Suitable for almost all hook sizes.

Code	Description	Pcs
101-58-100/10	Paste Grippers	10


HEAVY DUTY ANTI TANGLE TUBE

Strongly hated by feeder experts and conversely loved by millions of newcomers or pleasure anglers, who appreciate their efficiency and their anti-tangle properties in fresh and also salt water fishing. The main line gets through the bent tube, which protects it from any abrasion, and is knotted to the swivel of the hooklink. Just above the swivel, a rubber bead is highly recommended to protect the knot. The safety snap is ready to accept bomb or feeder: less than one minute and it's ready to fish! Three sizes are available: generally, the closer casting distance (or boat fishing) require the shortest tube, while longer range sees the longer tube getting into play.



Code	Description	Lengthzza	Pcs
101-55-650/10	Heavy Duty Anti Tangle Tube	55 mm	2
101-55-660/10	Heavy Duty Anti Tangle Tube	85 mm	2
101-55-670/10	Heavy Duty Anti Tangle Tube	120 mm	2

SLIDER FEEDER LINK



A great solution to solve a long list of problems of the feeder rigs. A segment of Power Gum, featuring a swivel snap on top and a swivel on the opposite end, lays flat on the bottom and provides elasticity, resistance and anti-tangle safety. Other advantage raises from the central snap, as it ensures speed and simplicity on bomb or feeder changes. Thanks to the oval rubber stoppers, the snap position can vary along the Powergum link according to fishing conditions. It can be used also connecting the feeder to the end of the link and hooklength to the central snap.



Code	Description	Pcs	Ø
102-81-100/10	Slider Feeder Link	2	1.0 mm
102-81-110/10	Slider Feeder Link	2	1.3 mm
102-81-120/10	Slider Feeder Link	2	1.5 mm